

PERSON-CENTERED DECISION MAKING REFERENCES AND RESOURCES

References include seminal and pivotal works of note.

Transformational Leadership and Systems Redesign

- Agency for Healthcare Research and Quality (2014). Community-wide education, trained facilitators, and improved processes lead to more advance care planning, consistency between plans and end-of-life decisions, and low care costs. <https://innovations.ahrq.gov/profiles/community-wide-education-trained-facilitators-and-improved-processes-lead-more-advance-care>
- Atkinson-Smith, M. S. (2011). Specialty Focus-Magnet Hospital: Are you a transformational leader? *Nursing Management*, 42(9), 44–50. <https://doi.org/10.1097/01.NUMA.0000403279.04379.6a>
- Berwick, D. M. (2003). Disseminating innovations in health care. *JAMA*, 289(15), 1969–1975. <https://doi.org/10.1001/jama.289.15.1969>
- Doyle C., Howe, C., Woodcock, T., Myron, R., Phekoo, K., McNicholas, C., et al. (2013). Making change last: Applying the NHS institute for innovation and improvement sustainability model to healthcare improvement. *Implementation Science*, 8, 127. <https://doi.org/10.1186/1748-5908-8-127>
- Fromme, E. K. (2021). POLST in the six New England states: Getting on the same page (form) and getting it right. *J Am Geriatr Soc*, 10.1111/jgs.17538. Advance online publication. <https://doi.org/10.1111/jgs.17538>
- Hammes, B., & Briggs, L. (2011). *Building a systems approach to advance care planning*. La Crosse, Wisconsin: Gundersen Lutheran Medical Foundation, Inc.
- Hammes, B., Briggs, L., Silvester, W., Wilson, K., Schettle, S., Maycroft, J., Sandoval, J., Orders, A., & Stern, M. (2015). Implementing a care planning system: How to fix the most pervasive errors in healthcare [Web log post]. <http://healthaffairs.org/blog/2015/01/02/implementing-a-care-planning-system-how-to-fix-the-most-pervasive-errors-in-health-care>
- Hinchey, K., Zahn, D., Lustbader, N., Thomas, S., Ramjohn, D., & Chin, M. (2008). Factors contributing to sustaining and spreading learning collaborative improvements: Results of a Qualitative Research Study. *Primary Care Development Corporation*.
- Institute of Medicine. (2001). *Crossing the quality chasm: A new health system for the 21st century*. Washington, D.C., The National Academies Press. <https://doi.org/10.17226/10027>
- Institute for Healthcare Improvement. (2013). Is your organization “conversation ready”? *Healthcare Executive*, July/Aug 2013, 62–65.
- Kania, J., & Kramer, M. (2012). Embracing emergence: How collective impact addresses complexity. *Stanford Social Innovation Review*, 1–10. <https://doi.org/10.48558/ZJY9-4D87>
- Lucas, C. V., Holmes, S. K., Cohen, A. B., Restuccia, J., Cramer, I. E., Schwartz, M., & Charns, M. P. (2007). Transformational change in health care systems: An organizational model. *Health Care Management Review*, 32(4), 309–320. <https://doi.org/10.1097/01.HMR.0000296785.29718.5d>
- National Academy of Sciences, Institute of Medicine (IOM). (2004). *Keeping patients safe: Transforming the work environment of nurses*. Washington, DC: National Academies Press.

Advance Care Planning

- Ahluwalia, S. C., Levin, J. R., Lorenz, K. A., et al. (2012). Missed opportunities for advance care planning communication during outpatient clinic visits. *J Gen Intern Med*, 27(4), 445–451. <https://doi.org/10.1007/s11606-011-1917-0>

- Bisognano, M., & Goodman, E. (2013). Engaging patients and their loved ones in the ultimate conversation. *Health Affairs*, 32(2), 203–206. <https://doi.org/10.1377/hlthaff.2012.1174>
- Bhatia, V., Geidner, R., Mirchandani, K., Huang, Y., & Warraich, H. (2021). Systemwide advance care planning during the covid-19 pandemic: The impact on patient outcomes and cost. *NEJM Catalyst innovations in Care Delivery* 2021, 2(09). <https://doi.org/10.1056/CAT.21.0188>
- Briggs, L., Schellinger, S., & Grant, S. (2009). Disease-specific patient centered advance care planning: A unique intervention that helps people with chronic illness make specific end-of-life decisions. Winnipeg, Manitoba: Canadian Hospice and Palliative Care Association Conference.
- Brinkman-Stoppelenburg, A., Rietjens, J. A., & van der Heide, A. (2014). The effects of advance care planning on end-of-life care: A systematic review. *Palliative medicine*, 28(8), 1000–1025. <https://doi.org/10.1177/0269216314526272>
- Detering, K. M., Hancock, A. D., Reade, M. C., & Silvester, W. (2010). The impact of advance care planning on end-of-life care in elderly patients: Randomised controlled trial. *BMJ*, 340:c1345. <https://doi.org/10.1136/bmj.c1345>
- Fried, T. R., Bullock, K., Iannone, L., & O’Leary, J. R. (2009). Understanding advance care planning as a process of health behavior change. *Journal of the American Geriatrics Society*, 57(9), 1547–1555. <https://doi.org/10.1111/j.1532-5415.2009.02396.x>
- Fried, T. R., Redding, C. A., Robbins, M. L., Paiva, A., O’Leary, J. R., & Iannone, L. (2010). Stages of change for the component behaviors of advance care planning. *Journal of the American Geriatrics Society*, 58(12), 2329–2336. <https://doi.org/10.1111/j.1532-5415.2010.03184.x>
- Fried, T. R., Tinetti, M., Agostini, J., Iannone, L., & Towle, V. (2011). Health outcome prioritization to elicit preferences of older persons with multiple health conditions. *Patient Education and Counseling*, 83(2), 278–282. <https://doi.org/10.1016/j.pec.2010.04.032>
- Fritsch, J., Petronio, S., Helft, P., & Torke, A. (2013). Making decisions for hospitalized older adults: Ethical factors considered by family surrogates. *Journal of Clinical Ethics*, 24(2), 125–134.
- Funk, D. C., Moss, A. H., & Speis, A. (2020). How COVID-19 changed advance care planning: Insights from the West Virginia Center for End-of-Life Care. *J Pain Symptom Manage*, 60(6), e5–e9. <https://doi.org/10.1016/j.jpainsymman.2020.09.021>
- Grant, M. S., Back, A. L., & Dettmar, N. S. (2021). Public perceptions of advance care planning, palliative care, and hospice: A scoping review. *J Palliat Med*, 24(1), 46–52. <https://doi.org/10.1089/jpm.2020.0111>
- Gupta, A., Bahl, B., Rabadi, S., Mebane, A., 3rd, Levey, R., & Vasudevan, V. (2021). Value of advance care directives for patients with serious illness in the era of COVID pandemic: A review of challenges and solutions. *Am J Hosp Palliat Care*, 38(2), 191–198. <https://doi.org/10.1177/1049909120963698>
- Hammes, B. J., & Rooney, B. L. (1998). Death and end-of-life planning in one midwestern community. *Archives of Internal Medicine*, 158(4), 383–390. <https://doi.org/10.1001/archinte.158.4.383>
- Hammes, B. J., Rooney, B. L., & Gundrum, J. D. (2010). A comparative, retrospective, observational study of the prevalence, availability, and specificity of advance care plans in a county that implemented an advance care planning microsystem. *Journal of the American Geriatrics Society*, 58(7), 1249–1255. <https://doi.org/10.1111/j.1532-5415.2010.02956.x>
- Hammes, B. J., Rooney, R. L., Gundrum, J. D., Hickman, S. E., & Hager, N. (2012). The POLST program: A retrospective review of the demographics of use and outcomes in one community where advance directives are prevalent. *Journal of Palliative Medicine*, 15(1), 77–85. <https://doi.org/10.1089/jpm.2011.0178>

- Institute of Medicine. (2015). *Dying in America: Improving quality and honoring individual preferences near the end of life*. Washington, D.C., The National Academies Press. <https://doi.org/10.17226/18748>
- Kimbrell, J. D., & Powers, C. (2016) Can faith community nurses successfully teach parishioners about advance health care planning? *International Journal of Faith Community Nursing*, Vol. 2: Iss. 2 , Article 4. Available at: <https://digitalcommons.wku.edu/ijfcn/vol2/iss2/4>
- Korfage, I. J., Carreras, G., Arnfeldt Christensen, C. M., Billekens, P., Bramley, L., Briggs, L., et al. (2020). Advance care planning in patients with advanced cancer: A 6-country, cluster-randomised clinical trial. *PLoS Med*, 17(11), e1003422. <https://doi.org/10.1371/journal.pmed.1003422>
- Lamas, D., Panariello, N., Henrich, N., Hammes, B., Hanson, L. C., Meier, D. E., et al. (2018). Advance care planning documentation in electronic health records: Current challenges and recommendations for change. *Journal of Palliative Medicine*, 21(4), 522–528. <https://doi.org/10.1089/jpm.2017.0451>
- Lee, HT. S., Chen, T. R., Yang, C. L., Chiu, T. Y., & Hu, W. Y. (2019). Action research study on advance care planning for residents and their families in the long-term care facility. *BMC Palliat Care*, 18(1), 95. <https://doi.org/10.1186/s12904-019-0482-x>
- Lyon, M. E., Dallas, R. H., Garvie, P. A., Wilkins, M. L., Garcia, A., Cheng, Y. I., et al. (2019). Paediatric advance care planning survey: A cross-sectional examination of congruence and discordance between adolescents with HIV/AIDS and their families. *BMJ Support Palliat Care*, 9(1), e22. <https://doi.org/10.1136/bmjspcare-2016-001224>
- Lyon, M., Jacobs, S., Briggs, L., Cheng, Y., & Wang, J. (2013). Family-centered advance care planning for teens with cancer. *JAMA Pediatrics*, 167(5), 460-467. <https://doi.org/10.1001/jamapediatrics.2013.943>
- Lyon, M., Squires, L., D'Angelo, L. J., Benator, D., Scott, R. K., Greenberg, I. H., et al. (2019). FAMily-CEntered (FACE) advance care planning among African-American and non-African-American adults living with HIV in Washington, DC: A randomized controlled trial to increase documentation and health equity. *Journal of Pain and Symptom Management*, 57(3), 607–616. <https://doi.org/10.1016/j.jpainsymman.2018.11.014>
- Lyon, M. E., Squires, L., Scott, R. K., Benator, D., Briggs, L., Greenberg, I., et al. (2020). Effect of FAMily CEntered (FACE®) advance care planning on longitudinal congruence in end-of-life treatment preferences: A randomized clinical trial. *AIDS Behav*, 24(12), 3359–3375. <https://doi.org/10.1007/s10461-020-02909-y>
- Lyon, M. E., Thompkins, J. D., Fratantoni, K., Fraser, J. L., Schellinger, S. E., Briggs, L., et al. (2019). Family caregivers of children and adolescents with rare diseases: A novel palliative care intervention. *BMJ Support Palliat Care*. <https://doi.org/10.1136/bmjspcare-2019-001766>
- McAfee, C. A., Jordan, T. R., Cegelka, D., Polavarapu, M., Wotring, A., Wagner-Greene, V. R., & Hamdan, Z. (2020). COVID-19 brings a new urgency for advance care planning: Implications of death education. *Death Stud*, 1–6. Advance online publication. <https://doi.org/10.1080/07481187.2020.1821262>
- McMahan, R., Knight, S., Fried, T., & Sudore, R. (2013). Advance care planning beyond advance directives: Perspectives from patients and surrogates. *Journal of Pain and Symptom Management*, 46(3), 355–356. <https://doi.org/10.1016/j.jpainsymman.2012.09.006>
- McMahan, R. D., Tellez, I., & Sudore, R. L. (2020). Deconstructing the complexities of advance care planning outcomes: What do we know and where do we go? A Scoping Review. *J Am Geriatr Soc*, 69(1), 234–244. <https://doi.org/10.1111/jgs.16801>
- National Academy of Sciences, Institute of Medicine (IOM). (2015). *Dying in America: Improving Quality and Honoring Individual Preferences Near the End of Life*. Washington, DC: The National Academies Press. <https://doi.org/10.17226/18748>

- Pecanac, K. E., Repenshek, M. F., Tennenbaum, D., & Hammes, B. J. (2014). Respecting Choices® and advance directives in a diverse community. *Journal of Palliative Medicine*, 17(3), 282–287. <https://doi.org/10.1089/jpm.2013.0047>
- Pereira-Salgado, A., Mader, P., O’Callaghan, C., Boyd, L., & Staples, M. (2017). Religious leaders’ perceptions of advance care planning: A secondary analysis of interviews with Buddhist, Christian, Hindu, Islamic, Jewish, Sikh, and Baha’i leaders. *BMC Palliative Care*, 16(1), 79. <https://doi.org/10.1186/s12904-017-0239-3>
- Rietjens, J. A., Sudore, R. L., Connolly, M., van Delden, J. J., Drickamer, M. A., Droger, M., et al. (2017). Definition and recommendations for advance care planning: An international consensus supported by the European Association for Palliative Care. *Lancet Oncol* 18(9): e543–e551. [https://doi.org/10.1016/S1470-2045\(17\)30582-X](https://doi.org/10.1016/S1470-2045(17)30582-X)
- Rose, B. L., Leung, S., Gustin, J., & Childers, J. (2019). Initiating advance care planning in primary care: A model for success. *Journal of Palliative Medicine*, 22(4), 427–431. <https://doi.org/10.1089/jpm.2018.0380>
- Sabatino, C. P. (2013). Eight advance care planning lessons that took me thirty years to learn. *Bifocal*, 34(6), 115–119.
- Tay, D. L., Ellington, L., Towsley, G. L., Supiano, K., & Berg, C. A. (2020). Evaluation of a collaborative advance care planning intervention among older adult home health patients and their caregivers. *Journal of Palliative Medicine*, 23(9), 1214–1222. <https://doi.org/10.1089/jpm.2019.0521>
- Teo, W. S., Raj, A. G., Tan, W. S., Ng, C. W., Heng, B. H., & Leong, I. Y. (2014). Economic impact analysis of an end-of-life programme for nursing home residents. *Palliative Medicine*, 28(5), 430–437. <https://doi.org/10.1177/0269216314526270>
- Tinetti, M. E., Naik, A. D., Dindo, L., Costello, D. M., Esterson, J., Geda, M., et al. (2019). Association of patient priorities-aligned decision-making with patient outcomes and ambulatory health care burden among older adults with multiple chronic conditions: A nonrandomized clinical trial. *JAMA Internal Medicine*, 179(12), 1688–1697. Advance online publication. <https://doi.org/10.1001/jamainternmed.2019.4235>
- Wilkinson, A., Wenger, N., & Shugarman, L. R. (2007). Office of Disability, Aging and Long-Term Care Policy, Office of the Assistant Secretary for Planning and Evaluation, U.S. Department of Health and Human Services; & RAND Corporation. (2007, June). Literature Review on Advance Directives. <http://aspe.hhs.gov/daltcp/reports/2007/advdir.pdf>
- Zwakman, M., Milota, M. M., van der Heide, A., Jabbarian, L. J., Korfage, I. J., Rietjens, J. A. C., et al. (2021). Unraveling patients’ readiness in advance care planning conversations: A qualitative study as part of the ACTION Study. *Supportive Care in Cancer*, 29(6), 2917–2929. <https://doi.org/10.1007/s00520-020-05799-x>
- Zwakman, M., van Delden, J., Caswell, G., Deliëns, L., Ingravallo, F., Jabbarian, L. J., et al. (2020). Content analysis of advance directives completed by patients with advanced cancer as part of an advance care planning intervention: Insights gained from the ACTION trial. *Support Care Cancer*, 28(3), 1513–1522. <https://doi.org/10.1007/s00520-019-04956-1>

DNR and POLST Discussion

- Bomba, P. A., Kemp, M., & Black, J. S. (2012). POLST: An improvement over traditional advance directives. *Cleveland Clinic Journal of Medicine*, 79(7), 457–464. <https://doi.org/10.3949/ccjm.79a.11098>
- Bomba, P. A., Morressey, M. B., & Leven, D. C. (2011). Key role of social work in effective communication and conflict resolution process: Medical orders for life-sustaining treatments (MOLST) program in New York and shared medical decision making at the end of life. *Journal of Social Work in End-Of-Life & Palliative Care*, 7(1), 56–82. <https://doi.org/10.1080/15524256.2011.548047>

- Breyre, A. M., Benesch, T., Glomb, N. W., Sporer, K. A., & Anderson, W. G. (2021). EMS experience caring and communicating with patients and families with a life-limiting-illness. *Prehosp Emerg Care*, 1–8. Advance online publication. <https://doi.org/10.1080/10903127.2021.1994674>
- Curtis, J. R., Kross, E. K., & Stapleton, R. D. (2020). The importance of addressing advance care planning and decisions about do-not-resuscitate orders during novel coronavirus 2019 (COVID-19). *JAMA*, 323(18), 1771–1772. <https://doi.org/10.1001/jama.2020.4894>
- Downey, L., Au, D. H., Curtis, J. R., & Engelberg, R. A. (2013). Life-sustaining treatment preferences: Matches and mismatches between patients' preferences and clinicians' perceptions. *Journal of Pain and Symptom Management*, 46(1), 9–19. <https://doi.org/10.1016/j.jpainsymman.2012.07.002>
- Ebell, M. H., Jang, W., Shen, Y., Geocadin R. G., & Get With the Guidelines–Resuscitation Investigators (2013). Development and validation of the good outcome following attempted resuscitation (GO-FAR) score to predict neurologically intact survival after in-hospital cardiopulmonary resuscitation. *JAMA*, 173(20):1872–1878. <https://doi.org/10.1001/jamainternmed.2013.10037>
- Ehlenbach, W. J., Barnato, A. E., Curtis, J. R., Kreuter, W., Koepsell, T. D., Deyo, R. A., & Stapleton, R. D. (2009). Epidemiologic study of in-hospital cardiopulmonary resuscitation in the elderly. *The New England Journal of Medicine*, 361(1), 22–31. <https://doi.org/10.1056/NEJMoa0810245>
- Gravesteijn, B. Y., Schluep, M., Disli, M., Garkhail, P., Dos Reis Miranda, D., Stolker, R. J., et al. (2020). Neurological outcome after extracorporeal cardiopulmonary resuscitation for in-hospital cardiac arrest: A systematic review and meta-analysis. *Crit Care*, 24(1), 505. <https://doi.org/10.1186/s13054-020-03201-0>
- Girotra, S., Nallamothu, B. K., Spertus, J. A., Li, Y., Krumholz, H. M., & Chan, P. S. (2012). Trends in survival after in-hospital cardiac arrest. *New England Journal of Medicine*, 367(20):1912–20. <https://doi.org/10.1056/NEJMoa1109148>
- Grunau, B., Kime, N., Leroux, B., Rea, T., Van Belle, G., Menegazzi, J. J., et al. (2020). Association of intra-arrest transport vs continued on-scene resuscitation with survival to hospital discharge among patients with out-of-hospital cardiac arrest. *JAMA*, 324(11), 1058–1067. <https://doi.org/10.1001/jama.2020.14185>
- Hickman, S. E., Keevern, E., & Hammes, B. J. (2015). Use of the physician orders for life-sustaining treatment program in the clinical setting: A systematic review of the literature. *Journal of the American Geriatrics Society*, 63(2), 341–350. <https://doi.org/10.1111/jgs.13248>
- Hickman, S. E., Steinberg, K., Carney, J., & Lum, H. D. (2021). POLST is more than a code status order form: Suggestions for appropriate POLST use in long-term care. *J Am Med Dir Assoc*, 22(8), 1672–1677. <https://doi.org/10.1016/j.jamda.2021.04.020>
- Hickman, S. E., Torke, A. M., Heim Smith, N., Myers, A. L., Sudore, R. L., Hammes, B. J., & Sachs, G. A. (2021). Reasons for discordance and concordance between POLST orders and current treatment preferences. *J Am Geriatr Soc*, 69(7), 1933–1940. <https://doi.org/10.1111/jgs.17097>
- Hickman, S. E., Torke, A. M., Sachs, G. A., Sudore, R. L., Tang, Q., Bakoyannis, G., et al. (2021). Factors associated with concordance between POLST orders and current treatment preferences. *J Am Geriatr Soc*, 69(7), 1865–1876. <https://doi.org/10.1111/jgs.17095>
- Hickman, S. E., Torke, A. M., Sachs, G. A., Sudore, R. L., Tang, Q., Bakoyannis, G., et al. (2021). Do life-sustaining treatment orders match patient and surrogate preferences? The role of POLST. *J Gen Intern Med*, 36(2), 413–421. <https://doi.org/10.1007/s11606-020-06292-1>
- Mercurio, M., Murray, P., & Gross, I. (2014). Unilateral pediatric "Do not attempt resuscitation" orders: The pros, the cons, and a proposed approach. *Pediatrics*, 133(S37), S37–S43.

- Moss, A. H., Lunney, J. R., Culp, S., Auber, M., Kurian, S., Rogers, J., et al. (2010). Prognostic significance of the "surprise" question in cancer patients. *Journal of Palliative Medicine, 13*(7), 837–840.
<https://doi.org/10.1089/jpm.2010.0018>
- Respecting Choices. (2018). *Facilitating the CPR Decision: Position Paper*. <https://respectingchoices.org/research-and-reports/quality-improvement-reports-and-white-papers/>
- Vranas, K. C., Plinke, W., Bourne, D., Kansagara, D., Lee, R. Y., Kross, E. K., et al. (2021). The influence of POLST on treatment intensity at the end of life: A systematic review. *J Am Geriatr Soc, 69*(12), 3661–3674.
<https://doi.org/10.1111/jgs.17447>

Diversity, Equity, and Inclusion

- Coulourides Kogan, A., Kobashigawa, W., & Enguidanos, S. (2017). "Unless You Bring It Up, You Won't Know the Reactions of the People": Older Japanese Americans' perceptions toward hospice care and advance care discussion and planning. *J Palliat Med, 20*(5), 445–447. <https://doi.org/10.1089/jpm.2016.0563>
- Briggs, L. A., Kirchhoff, K. T., Hammes, B. J., Song, M. K., & Colvin, E. R. (2004). Patient-centered advance care planning in special patient populations: A pilot study. *Journal of Professional Nursing, 20*(1), 47–58.
<https://doi.org/10.1016/j.profnurs.2003.12.001>
- Enguidanos, S., & Ailshire, J. (2017). Timing of advance directive completion and relationship to care preferences. *J Pain Symptom Manage, 53*(1), 49–56. <https://doi.org/10.1016/j.jpainsymman.2016.08.008>
- Hilliard, T. S., Washington, T., Hines, C., & McGill, T. (2013). Wishes left unspoken: engaging underserved populations in end-of-life advance care planning. *J Health Care Poor Underserved, 24*(3), 979–986.
<https://doi.org/10.1353/hpu.2013.0130>
- Jones, T., Luth, E. A., Lin, S. Y., & Brody, A. A. (2021). Advance care planning, palliative care, and end-of-life care interventions for racial and ethnic underrepresented groups: A Systematic Review. *J Pain Symptom Manage, 62*(3), e248–e260. <https://doi.org/10.1016/j.jpainsymman.2021.04.025>
- Lyon, M. E., Squires, L., D'Angelo, L. J., Benator, D., Scott, R. K., Greenberg, I. H., et al. (2019). FAMily-CEntered (FACE) advance care planning among African-American and Non-African-American adults living with HIV in Washington, DC: A randomized controlled trial to increase documentation and health equity. *J Pain Symptom Manage, 57*(3), 607–616. <https://doi.org/10.1016/j.jpainsymman.2018.11.014>
- Palmer, M. K., Jacobson, M., & Enguidanos, S. (2021). Advance care planning for Medicare beneficiaries increased substantially, but prevalence remained low. *Health Aff (Millwood), 40*(4), 613–621.
<https://doi.org/10.1377/hlthaff.2020.01895>
- Portanova, J., Ailshire, J., Perez, C., Rahman, A., & Enguidanos, S. (2017). Ethnic differences in advance directive completion and care preferences: What has changed in a decade? *J Am Geriatr Soc, 65*(6), 1352–1357.
<https://doi.org/10.1111/jgs.14800>
- Yonashiro-Cho, J., Cote, S., & Enguidanos, S. (2016). Knowledge about and perceptions of advance care planning and communication of Chinese-American older adults. *J Am Geriatr Soc, 64*(9), 1884–1889.
<https://doi.org/10.1111/jgs.14261>

Facilitation and Communication Skills

- Back, A. L., Fromme, E. K., & Meier, D. E. (2019). Training clinicians with communication skills needed to match medical treatments to patient values. *J Am Geriatr Soc, 67*(S2), S435–S441.
<https://doi.org/10.1111/jgs.15709>

- Ballantine, A., & Feudtner, C. (2010). The 10 R's of clinician education: a checklist. *Archives of Pediatric & Adolescent Medicine*, 164(4), 389–390. <https://doi.org/10.1001/archpediatrics.2010.33>
- Bernacki, R. E., & Block, S. D. & American College of Physicians High Value Care Task Force. (2014). Communication about serious illness care goals: A review and synthesis of best practices. *JAMA Internal Medicine*, 174(12), 1994–2003. <https://doi.org/10.1001/jamainternmed.2014.5271>
- Briggs L. A. (2004). Shifting the focus of advance care planning: Using an in-depth interview to build and strengthen relationships. *Journal of Palliative Medicine*, 7(2), 341–349. <https://doi.org/10.1089/109662104773709503>
- Briggs, L. (2012). Helping individuals make informed healthcare decisions: The role of the advance care planning facilitator. In B. J. Hammes (Ed.), *Having Your Own Say: Getting the Right Care When it Matters the Most* (pp. 23–40). Washington, DC: CHT Press, Washington, DC.
- Briggs, L., & Hammes, B. (2015). *Respecting Choices® Advance Care Planning Facilitator Certification Manual: A Guide to Person-Centered Conversations*. La Crosse, WI: Gundersen Lutheran Medical Foundation, Inc.
- Curtis, J. R., Back, A. L., Ford, D. W., Downey, L., Shannon, S. E., Doorenbos, A. Z., et.al. (2013). Effect of communication skills training for residents and nurse practitioners on quality of communication with patients with serious illness. A randomized trial. *JAMA*, 310(21), 2271–2281. <https://doi.org/10.1001/jama.2013.282081>
- Southall, D. (2012). The patient's use of metaphor within a palliative care setting: Theory, function and efficacy. A narrative literature review. *Palliative Medicine*, 27(4), 305-313. <https://doi.org/10.1177/0269216312451948>

Shared Decision Making: Definitions and Benefits

- Altarum Healthcare Value Hub. (2019, May). *The Consumer Benefits of Patient Shared Decision Making* (Research Brief No. 37). https://www.healthcarevaluehub.org/application/files/8115/6367/3510/RB_37_-_Shared_Decision_Making.pdf
- American Hospital Association. (2012). Two reports on Advanced Illness Management Strategies. <https://www.aha.org/ahahret-guides/2012-12-11-advanced-illness-management-strategies-part-1>
<https://www.aha.org/ahahret-guides/2012-12-01-advanced-illness-management-strategies-part-2>
- Barry, M. J., & Edgman-Levitan, S. (2012). Shared decision making — the pinnacle of patient-centered care. *NEJM*, 366(9), 780–781. <https://doi.org/10.1056/NEJMp1109283>
- Elwyn, G., Dehlendorf, C., Epstein, R. M., Marrin, K., White, J., & Frosch, D. L. (2014). Shared decision making and motivational interviewing: Achieving patient-centered care across the spectrum of health care problems. *Annals of Family Med* 12(3), 272. <https://doi.org/10.1370/afm.1615>
- Elwyn, G., Frosch, D., Thomson, R., Joseph-Williams, N., Lloyd, A., Kinnersley, P., et al. (2012). Shared decision making: A model for clinical practice. *Journal of General Internal Medicine*, 27(10), 1361–1367. <https://doi.org/10.1007/s11606-012-2077-6>
- Gattellari, M., & Ward, J. (2004). Will men attribute fault to their GP for adverse effects arising from controversial screening tests? An Australian study using scenarios about PSA screening. *J Med Screen*, 11, 165–169. <https://doi.org/10.1258/0969141042467386>
- Hargraves, I., LeBlanc, A., Shah, N. D., & Montori, V. M. (2016). Shared decision making: The need for patient-clinician conversation, not just information. *Health Affairs*, 35(4), 627–629. <https://doi.org/10.1377/hlthaff.2015.1354>
- Hoffmann, T. C., Montori, V. M., & Mar, C. D. (2014). The connection between evidence-based medicine and shared decision making. *Jama*, 312(13), 1295–1296. <https://doi.org/10.1001/jama.2014.10186>

- Institute of Medicine. (2001). *Crossing the quality chasm: A new health system for the 21st century*. Washington, D.C., The National Academies Press. <https://doi.org/10.17226/10027>
- Institute of Medicine. (2015). *Dying in America: Improving quality and honoring individual preferences near the end of life*. Washington, D.C., The National Academies Press. <https://doi.org/10.17226/18748>
- Kaplan, R. S., Haas, D. A., & Warsh, J. (2016). Adding value by talking more. *N Engl J Med* 375(20):1918–1920. <https://doi.org/10.1056/NEJMp1607079>
- National Quality Forum. (2017, October). Shared decision making: A standard of care for all patients. *National Quality Partners™ Action Brief*, Washington D.C. https://www.qualityforum.org/Publications/2017/10/NQP_Shared_Decision_Making_Action_Brief.aspx
- Sanders, J. J., Curtis, J. R., & Tulskey, J. A. (2018). Achieving goal-concordant care: a conceptual model and approach to measuring serious illness communication and its impact. *Journal of Palliative Medicine*, 21(S2), S17–S27. <https://doi.org/10.1089/jpm.2017.0459>
- Sanders, J. J., Miller, K., Desai, M., Geerse, O. P., Paladino, J., Kavanagh, J., et al. (2020). Measuring goal-concordant care: Results and reflections from secondary analysis of a trial to improve serious illness communication. *J Pain Symptom Manage*, 60(5), 889–897.e2. <https://doi.org/10.1016/j.jpainsymman.2020.06.023>
- Staren, D. Research Brief No. 37. (2019). Retrieved December 08, 2021. https://www.healthcarevaluehub.org/application/files/8115/6367/3510/RB_37_-_Shared_Decision_Making.pdf
- Sun, Q. (2005). Predicting downstream effects of high decisional conflict: Meta-analyses of the decisional conflict scale. University of Ottawa, Master of Science in Systems Science, School of Management. <http://hdl.handle.net/10393/27050>
- Tinetti, M. E., Naik, A. D., Dindo, L., Costello, D. M., Esterson, J., Geda, M., et al. (2019). Association of patient priorities-aligned decision-making with patient outcomes and ambulatory health care burden among older adults with multiple chronic conditions: A nonrandomized clinical trial. *JAMA Internal Medicine*, 179(12), 1688–1697. Advance online publication. <https://doi.org/10.1001/jamainternmed.2019.4235>

Overcoming Barriers to Improved Shared Decision-Making Conversations

- Bernacki, R. E., Block, S. D., & American College of Physicians High Value Care Task Force. (2014). Communication about serious illness care goals: a review and synthesis of best practices. *JAMA Internal Medicine*, 174(12), 1994–2003. <https://doi.org/10.1001/jamainternmed.2014.5271>
- Elwyn, G., Dehlendorf, C., Epstein, R. M., Marrin, K., White, J., & Frosch, D. L. (2014). Shared decision making and motivational interviewing: Achieving patient-centered care across the spectrum of health care problems. *Annals of Family Med*, 12(3), 270–275. <https://doi.org/10.1370/afm.1615>
- Joseph-Williams, N., Edwards, A., & Elwyn, G. (2014). Power imbalance prevents shared decision making. *BMJ*, 348, g3178. <https://doi.org/10.1136/bmj.g3178>
- Lakin, J. R., Block, S. D., Billings, J. A., Koritsanszky, L. A., Cunningham, R., Wichmann, L., et al. (2016, September). Improving communication about serious illness in primary care: A review. *JAMA Internal Medicine*, 176(9), 1380–1387. <https://doi.org/10.1001/jamainternmed.2016.3212>
- The John A Hartford Foundation. (2016, December 1). *Improving advance care planning: Research results from the “Conversation Starters” focus groups and “Conversation Stopper” physician survey*. <https://www.johnahartford.org/dissemination-center/view/advance-care-planning-poll>
- Yahanda, A. T., & Mozersky, J. (2020). What’s the role of time in shared decision making? *AMA Journal of Ethics*, 22(5), E416–422. <https://doi.org/10.1001/amajethics.2020.416>

Provider Bias

- Iezzoni, L. I., Rao, S. R., Ressler, J., Bolcic-Jankovic, D., Agaronnik, N. D., Donelan, K., et al. (2021). Physicians' perceptions of people with disability and their health care. *Health Affairs*, 40(2).
<https://doi.org/10.1377/hlthaff.2020.01452>
- Jacobson, J. O. (2019). Managing cancer patients' expectations amid hope and hype. *Health Affairs*, 38(2), 320–323.
<https://doi.org/10.1377/hlthaff.2018.05259>
- Rubin, E. B., Buehler, A. E., & Halpern, S. D. (2016). States worse than death among hospitalized patients with serious illnesses. *JAMA Internal Medicine*, 176(10), 1557–1559.
<https://doi.org/10.1001/jamainternmed.2016.4362>

Using What Matters Most to Align Treatment Decisions

- Gillick, M. R. (2015). Re-engineering shared decision-making. *J Med Ethics*. 41(9), 785–788.
<https://doi.org/10.1136/medethics-2014-102618>
- Zapata, J. A., & Widera, E. (2016). Partial codes—A symptom of a larger problem. *JAMA Internal Medicine*, 176(8), 1058–1059. <https://doi.org/10.1001/jamainternmed.2016.2540>

Discussing Prognosis and Hope

- Ahalt, C., Walter, L. C., Yourman, L., Eng, C., Perez-Stable, E. J., & Smith, A. K. (2011). "Knowing is Better": Preferences of diverse older adults for discussing prognosis. *Journal of General Internal Medicine*, 27, 568–575. <https://doi.org/10.1007/s11606-011-1933-0>
- Coyle, L. A., & Atkinson, S. (2018). Imagined futures in living with multiple conditions: Positivity, relationality and hopelessness. *Soc Sci Med (1982)*, 198, 53–60. <https://doi.org/10.1016/j.socscimed.2017.12.022>
- Cripe, L. D. (2016). A piece of my mind. Hope is the thing with feathers. *JAMA*, 315(3), 265–266.
<https://doi.org/10.1001/jama.2015.18557>
- Davidson, P. M., Dracup, K., Phillips, J., Daly, J., & Padilla, G. (2007). Preparing for the worst while hoping for the best: The relevance of hope in the heart failure illness trajectory. *Journal of Cardiovascular Nursing*, 22(3), 159–165. <https://doi.org/10.1097/01.JCN.0000267821.74084.72>
- Dougherty, C. M., Pyper, G. P., Au, D. H., Levy, W. C., & Sullivan, M. D. (2007). Drifting in a shrinking future: Living with advanced heart failure. *J Cardiovasc Nurs*, 22(6), 480–487.
<https://doi.org/10.1097/01.JCN.0000297384.36873.52>
- Downman, T. H. (2008). Hope and hopelessness: Theory and reality. *Journal of the Royal Society of Medicine*, 101(8), 428–430. <https://doi.org/10.1258/jrsm.2008.080193>
- Duenk, R. G., Heijdra, Y., Verhagen, S. C., Dekhuijzen, R., Vissers, K., & Engels, Y. (2014). PROLONG: A cluster-controlled trial to examine identification of patients with COPD with poor prognosis and implementation of proactive palliative care. *BMC Pulm Med*, 14(54), 13. <http://www.biomedcentral.com/1471-2466/14/54>
- Green, M. J., Schubart, J. R., Whitehead, M. M., Farace, E., Lehman, E., & Levi, B. H. (2015). Advance care planning does not adversely affect hope or anxiety among patients with advanced cancer. *J Pain Symptom Manage*, 49(6), 1088–1096. <https://doi.org/10.1016/j.jpainsymman.2014.11.293>
- Robinson, C. (2012). "Our best hope is a cure." Hope in the context of advance care planning. *Palliative Supportive Care*, 10(2), 75–82. <https://doi.org/10.1017/S147895151100068X>

- Sachs, E., Kolva, E., Pessin, H., Rosenfeld, B., & Breitbart, W. (2012). On sinking and swimming: The dialectic of hope, hopelessness, and acceptance in terminal cancer. *American Journal of Hospice & Palliative Medicine*, 30(2), 121–127. <https://doi.org/10.1177/1049909112445371>
- Schaepe, K. (2011). Bad news and first impressions: Patient and family caregiver accounts of learning the cancer diagnosis. *Social Science & Medicine (1982)*, 73(6), 912–921. <https://doi.org/10.1016/j.socscimed.2011.06.038>
- Sullivan, M. D. (2003). Hope and hopelessness at the end of life. *American Journal of Geriatric Psychiatry*, 11(4), 393–405.
- Yourman, L.C., Lee, S. J., Schonberg, M. A., Widera, E. W., & Smith, A. K. (2012). Prognostic indices for older adults: A systematic review. *JAMA*, 307(2):182–192. <https://doi.org/10.1001/jama.2011.1966>

The Value of Decision Aids

- Agency for Healthcare Research and Quality (AHRQ) Effective Health Care (EHC) Program. (2014). *Decision aids for advance care planning: technical brief*. <https://effectivehealthcare.ahrq.gov/products/advanced-care-decision-aids>
- Austin, C. A., Mohottige, D., Sudore, R. L., Smith, A. K., & Hanson, L. C. (2015). Tools to promote shared decision making in serious illness: A systematic review. *JAMA Intern Med*, 175(7), 1213–1221. <https://doi.org/10.1001/jamainternmed.2015.1679>
- Butler, M., Ratner, E., McCreedy, E., Shippee, N., & Kane, R. L. (2014). Decision aids for advance care planning: An overview of the state of the science. *Annals of Internal Medicine*, 161(6), 408–418. <https://doi.org/10.7326/M14-0644>
- Stacey, D., Legare, F., Lewis, K., Barry, M. J., Bennett, C. L., Eden, K. B., et al. (2017). Decision aids for people facing health treatment or screening decisions. *Cochrane Database of Systematic Reviews*. <https://doi.org/10.1002/14651858.CD001431.pub5>
- U. S. Department of Health and Human Services, Agency for Healthcare Research and Quality, Effective Health Care Program. (2014). *Technical Brief: Decision Aids for Advance Care Planning*. <https://effectivehealthcare.ahrq.gov/products/advanced-care-decision-aids/technical-brief>

Decision Making in the ICU

- Angus, D. C., & Truog, R. D. (2016). Toward better ICU use at the end of life. *JAMA*, 315(3), 255–256. <https://doi.org/10.1001/jama.2015.18681>
- Scheunemann, L., Ernecoff, N. C., Buddadhumaruk, P., Carson, S., Hough, C. L., Curtis, J. R., et al. (2019). Clinician-family communication about patients' values and preferences in intensive care units. *JAMA Internal Medicine*, 179(5), 676–684. <https://doi.org/10.1001/jamainternmed.2019.0027>

Advance Care Planning Billing

- Centers for Medicare & Medicaid Services. (2018, June). *MLN fact sheet: Advance care planning*. <https://www.cms.gov/outreach-and-education/medicare-learning-network-mln/mlnproducts/downloads/advancecareplanning.pdf>
- Centers for Medicare & Medicaid Services. (2016, July). *Frequently asked questions about billing the physician fee schedule for advance care planning services*. <https://www.cms.gov/Medicare/Medicare-Fee-for-Service-Payment/PhysicianFeeSched/Downloads/FAQ-Advance-Care-Planning.pdf>

- Centers for Medicare & Medicaid Services. (2018). *Medicare benefit policy manual. Chapter 15: covered medical and other health services*. <https://www.cms.gov/Regulations-and-Guidance/Guidance/Manuals/downloads/bp102c15.pdf>
- Dingfield, L.E., & Kayser, J.B. (2017). Integrating advance care planning into practice. *Chest*, 151(16), 1387–1393. <https://doi.org/10.1016/j.chest.2017.02.024>
- Jones, C. A., Acevedo, J., Bull, J., & Kamal, A.H. (2016). Top 10 tips for using advance care planning codes in palliative medicine and beyond. *Journal of Palliative Medicine*, 19(12), 1249–1253. <https://doi.org/10.1089/jpm.2016.0202>
- Respecting Choices. (2018). *ACP Billing Resource Guide*. <https://respectingchoices.org/acp-billing-resource-guide/>
- Respecting Choices. (2018). *ACP Pocket Guide*. <https://respectingchoices.org/acp-billing-pocket-guide/>
- Respecting Choices. (2018). *Building Physician Skills in Basic Advance Care Planning*. <https://respectingchoices.dcopy.net/product/Building-Physician-Skills-in-Basic-ACP-CME-Credit>
- Rodgers, P., & Schellinger, S. (2018, October). *Update on advance care planning billing 2018: Using lessons learned*. Presented at Respecting Choices 2018 National Share the Experience Summit, Bloomington, MN.
- Starr, L. T., Ulrich, C. M., Corey, K. L., & Meghani, S. H. (2019). Associations among end-of-life discussions, health-care utilization, and costs in persons with advanced cancer: A systematic review. *Am J Hosp Palliat Care*, 36(10), 913–926. <https://doi.org/10.1177/1049909119848148>
- Tsai, G., & Taylor, D.H. (2018). Advance care planning in Medicare: An early look at the impact of new reimbursement on billing and clinical practice. *BMJ Supportive Palliative Care*, 8(1), 49–52. <http://dx.doi.org/10.1136/bmjspcare-2016-001181>

Other References

- Barry, M. J., & Edgman-Levitan, S. (2012). Shared decision making — the pinnacle of patient-centered care. *NEJM*, 366(9), 780–781. <https://doi.org/10.1056/NEJMp1109283>
- De La Cruz, M. S., Young, A. P., & Ruffin, M. T. (2014). Diagnosis and management of pancreatic cancer. *American Family Physician*, 89(8), 626–632.
- Fins, J. J., Maltby, B. S., Friedmann, E. Greene, M. G., Norris, K., Adelman, R., & Byock, I. (2005). Contracts, covenants and advance care planning: An empirical study of the moral obligations of patient and proxy. *Journal of Pain and Symptom Management*, 29(1), 55–68. <https://doi.org/10.1016/j.jpainsymman.2004.07.004>
- Fischer, S., Min, S. J., Cervantes, L., & Kutner, J. (2013). Where do you want to spend your last days of your life? Low concordance between preferred and actual site of death among hospitalized adults. *Journal of Hospital Medicine*, 8(4), 178–183. <https://doi.org/10.1002/jhm.2018>
- Fried, T. R., Redding, C. A., Robbins, M. L., Paiva, A., O'Leary, J. R., & Iannone, L. (2010). Stages of change for the component behaviors of advance care planning. *Journal of the American Geriatrics Society*, 58(12), 2329–2336. <https://doi.org/10.1111/j.1532-5415.2010.03184.x>
- Halpern, S., Loewenstein, G., Volpp, K., Cooney, E., Vranas, K., Quill, C., et al. (2013). Default options in advance directives influence how patients set goals for end-of-life care. *Health Affairs*, 32(2), 408–417. <https://doi.org/10.1377/hlthaff.2012.0895>
- Hammes, B. J., Klevan, J., Kempf, M., & Williams, M. S. (2005). Pediatric advance care planning. *Journal of Palliative Medicine*, 8(4), 766–773. <https://doi.org/10.1089/jpm.2005.8.766>

- Hanson, L. C., Zimmerman, S., Song, M. K., Lin, F. C., Rosemond, C., Carey, T. S., & Mitchell, S. L. (2017). Effect of the goals of care intervention for advanced dementia: A randomized clinical trial. *JAMA Intern Med*, *177*(1), 24–31. <https://doi.org/10.1001/jamainternmed.2016.7031>
- Heyland, D. K., Barwich, D., Pichora, D., Dodek, P., Lamontagne, F., You, J. J., et al. (2013). Failure to engage hospitalized elderly patients and their families in advance care planning. *JAMA Intern Med*, *173*(9), 778–787. <https://doi.org/10.1001/jamainternmed.2013.180>
- Hickman, S. E., Hammes, B. J., Moss, A. H., & Tolle, S. W. (2005). Hope for the future: Achieving the original intent of advance directives. *The Hastings Center Report*, *35*(6), S26–S30. <https://doi.org/10.1353/hcr.2005.0093>
- Hickman, S. E., Nelson, C. A., Moss, A. H., Hammes, B. J., Terwilliger, A., Jackson, A., & Tolle, S. W. (2009). Use of the physician orders for life-sustaining treatment (POLST) paradigm program in the hospice setting. *Journal of Palliative Medicine*, *12*(2), 133–141. <https://doi.org/10.1089/jpm.2008.0196>
- Hickman, S. E., Nelson, C. A., Moss, A. H., & Tolle, S. W., Perrin, N. A., & Hammes, B. J. (2011). The consistency between treatments provided to nursing facility residents and orders on the physician orders for life-sustaining treatment form. *Journal of the American Geriatrics Society*, *59*(11), 2091–2099. <https://doi.org/10.1111/j.1532-5415.2011.03656.x>
- Hickman, S. E., Nelson, C. A., Perrin, N. A., Moss, A. H., Hammes, B. J., & Tolle, S. W. (2010). A comparison of methods to communicate treatment preferences in nursing facilities: Traditional practices versus the physician orders for life-sustaining treatment program. *Journal of the American Geriatrics Society*, *58*(7), 1241–1248. <https://doi.org/10.1111/j.1532-5415.2010.02955.x>
- Hickman, S. E., Sabatino, C. P., Moss, A. H., & Nester, J. W. (2008). The POLST (physician orders for life-sustaining treatment) paradigm to improve end-of-life care: Potential state legal barriers to implementation. *Journal of Law, Medicine & Ethics*, *36*(1), 119–140. <https://doi.org/10.1111/j.1748-720X.2008.00242.x>
- Hickman, S. E., Tolle, S. W., Brummel-Smith, K., & Carley, M. M. (2004). Use of the physician orders for life-sustaining treatment program in Oregon nursing facilities: Beyond resuscitation status. *Journal of the American Geriatrics Society*, *52*(9), 1424–1429. <https://doi.org/10.1111/j.1532-5415.2004.52402.x>
- Hickman, S. E., Unroe, K. T., Ersek, M. T., Buente, B., Nazir, A., & Sachs, G. A. (2016). An interim analysis of an advance care planning intervention in the nursing home setting. *Journal of the American Geriatrics Society*, *64*(11), 2385–2392. <https://doi.org/10.1111/jgs.14463>
- Hopping-Winn, J., Mullin, J., March, L., Caughey, M., Stern, M., & Jarvie, J. (2018). The progression of end-of-life wishes and concordance with end-of-life care. *Journal of Palliative Medicine*, *21*(4), 541–545. <http://doi.org/10.1089/jpm.2017.0317>
- Kirchhoff, K. T., Hammes, B. J., Kehl, K. A., Briggs, L. A., & Brown, R. L. (2010). Effect of disease-specific planning intervention on surrogate understanding of patient goals for future medical treatment. *Journal of the American Geriatrics Society*, *58*(7), 1233–1240. <https://doi.org/10.1111/j.1532-5415.2010.02760.x>
- Kirschner, K. (2005). When written advance directives are not enough. *Clinics in Geriatric Medicine*, *21*(1), 193–209. <https://doi.org/10.1016/j.cger.2004.08.006>
- Lake Research Partners & The Coalition for Compassionate Care of California. (2012). Final chapter: Californians' attitudes and experiences with death and dying. Retrieved from California Healthcare Foundation website at <http://www.chcf.org/~media/MEDIA%20LIBRARY%20Files/PDF/F/PDF%20FinalChapterDeathDying.pdf>
- Lyon, M. E., Briggs, L. A., Marsh, J., He, J., McCarter, R., & D'Angelo, L. D. (2008). Courageous conversations: Feasibility and acceptability of family-centered advance care planning with teens. *Journal of Adolescent Health*, *42*(2), S31. <https://doi.org/10.1016/j.jadohealth.2007.11.083>

- Lynn, J. (2013). Reliable and sustainable comprehensive care for frail elderly people. *JAMA*, 310(18):1935–1936. <https://doi.org/10.1001/jama.2013.281923>
- Mack, J., Cronin, A., Keating, N., Taback, N., Huskamp, H., Malin, J., et al. (2012). Associations between end-of-life discussion characteristics and care received near death: A prospective cohort study. *Journal of Clinical Oncology*, 30(35), 4387–4395. <https://doi.org/10.1200/JCO.2012.43.6055>
- MacGillis, A. (2009). *Debate over end-of-life care began in a small Midwestern town*. Retrieved from <http://www.washingtonpost.com/wp-dyn/content/article/2009/09/03/AR2009090303833.html>
- McAndrew, L. M., Mora, P. A., Quigley, K. S., Leventhal, E. A., & Leventhal, H. (2014). Using the common-sense model of self-regulation to understand the relationship between symptom reporting and trait-negative affect. *International Journal of Behavioral Medicine*, 21(6), 989–994. <https://doi.org/10.1007/s12529-013-9372-4>
- McCarron, T. L., Noseworthy, T., Moffat, K., Wilkinson, G., Zelinsky, S., White, D., et al. (2020). A co-designed framework to support and sustain patient and family engagement in health-care decision making. *Health Expect*, 23(4), 825–836. <https://doi.org/10.1111/hex.13054>
- Miller, W. R., & Rollnick, S. (2002). *Motivational interviewing preparing for change* (2nd ed.). New York, NY: The Guilford Press.
- Mohan, D., Alexander, S. C., Garrigues, S. K., Arnold, R. M., & Barnato, A. E. (2010). Communication practices in physician decision-making for an unstable critically ill patient with end-stage cancer. *Journal of Palliative Medicine*, 13(8), 949–956. <https://doi.org/10.1089/jpm.2010.0053>
- National Consensus Project for Quality Palliative Care. (2018). *Clinical Practice Guidelines for Quality Palliative Care, Fourth Edition*. Richmond, VA: National Coalition for Hospice and Palliative Care; 2018. <https://www.nationalcoalitionhpc.org/ncp>.
- Nelson, E. C., Batalden, P. B., & Godfrey, M. M. (Eds.). (2007). *Quality by design: A clinical microsystems approach*. San Francisco, CA: Jossey-Bass.
- Porter-O'Grady, T., & Malloch, K. (2003). *Quantum Leadership: A Textbook of New Leadership*. Sudbury, MA: Jones and Bartlett.
- Reuben, D. B., & Tinetti, M. E. (2012). Goal-oriented patient care — an alternative health outcomes paradigm. *NEJM*, 366(9), 777–779. <https://doi.org/10.1056/NEJMp1113631>
- Rogers, E. M. (1995). *Diffusion of Innovations*. New York, NY: Free Press.
- Rokeach, M. (1973). *The nature of human values*. New York: Free Press.
- Schellinger, S., Sidebottom, A. C., & Briggs, L. A., (2010). Disease-specific advance care planning: Conversations emphasize patient preferences and provide clarity. Retrieved from <http://www.oncologynurseadvisor.com/disease-specific-advance-care-planning-conversations-emphasize-patient-preferences-and-provide-clarity/article/178063/>
- Schellinger, S., Sidebottom, A., & Briggs, L. (2010). DS-ACP: A care plan that goes beyond directives and proxies. *Oncology Nurse Advisor*, Nov/Dec 2010, 28–33. https://media.oncologynurseadvisor.com/documents/20/ona_planning1010_4814.pdf
- Schellinger, S., Sidebottom, A. C., & Briggs, L. A. (2011). Disease-specific advance care planning for heart failure patients: Implementation in a large health system. *Journal of Palliative Medicine*, 14(11), 1224–1230. <https://doi.org/10.1089/jpm.2011.0105>

- Schellinger, S. E., Anderson, E. W., Frazer, M. S., & Cain, C. L. (2018). Patient self-defined goals: Essentials of person-centered care for serious illness. *American Journal of Hospice & Palliative Medicine*, 35(1), 159–165. <https://doi.org/10.1177/1049909117699600>
- Schenker, Y., & Barnato, A. (2014). Expanding support for "upstream" surrogate decision making in the hospital. *JAMA Internal Medicine*, 174(3), 377–379. <https://doi.org/10.1001/jamainternmed.2013.13284>
- Schickedanz, A. D., Schillinger, D., Landefeld, C. S., Knight, S. J., Williams, B. A., & Sudore, R. L. (2009). A clinical framework for improving the advance care planning process: Start with patients' self-identified barriers. *Journal of the American Geriatric Society*, 57(1), 31–39. <https://doi.org/10.1111/j.1532-5415.2008.02093.x>
- Schwartz, C. E., Wheeler, H. B., Hammes, B. J., Basque, N., Edmunds, J., Reed, G., et al. (2002). Early intervention in planning end-of-life care with ambulatory geriatric patients: Results of a pilot trial. *Archives of Internal Medicine*, 162(14), 1611–1618. <https://doi.org/10.1001/archinte.162.14.1611>
- Song, M. K., Kirchhoff, K. T., Douglas, J., Ward, S., & Hammes, B. J. (2005). A randomized, controlled trial to improve advance care planning among patients undergoing cardiac surgery. *Medical Care*, 43(10), 1049–1053. <https://doi.org/10.1097/01.mlr.0000178192.10283.b4>
- Southall, D. (2012). The patient's use of metaphor within a palliative care setting: Theory, function and efficacy. A narrative literature review. *Palliative Medicine*, 27(4), 305–313. <https://doi.org/10.1177/0269216312451948>
- Sudore, R. L., & Fried, T. R. (2010). Redefining the "planning" in advance care planning: Preparing for end-of-life decision making. *Annals of Internal Medicine*, 153(4), 256–261. <https://doi.org/10.7326/0003-4819-153-4-201008170-00008>
- Sudore, R. L., Schillinger, D., Knight, S. J., & Fried, T. R. (2010). Uncertainty about advance care planning treatment preferences among diverse older adults. *Journal of Health Communication*, 15 Suppl 2(Suppl 2), 159–171. <https://doi.org/10.1080/10810730.2010.499982>
- Torke, A. M., Sachs, G. A., Helft, P. R., Montz, K., Hui, S. L., Slaven, J. E. & Callahan, C. M. (2014). Scope and outcomes of surrogate decision making among hospitalized older adults. *JAMA Internal Medicine*, 174(3), 370–377. <https://doi.org/10.1001/jamainternmed.2013.13315>.
- Topf, L., Robinson, C. A., & Bottorff, J. L. (2013). When a desired home death does not occur: The consequences of broken promises. *Journal of Palliative Medicine*, 16(8), 875–880. <https://doi.org/10.1089/jpm.2012.0541>
- U. S. Department of Health and Human Services, Agency for Healthcare Research and Quality, Effective Health Care Program. (2014). *Technical Brief: Decision Aids for Advance Care Planning*. <https://effectivehealthcare.ahrq.gov/products/advanced-care-decision-aids/technical-brief>
- Walters, J. K., & Friedman Ross, L. F. (2014). Relational autonomy: Moving beyond the limits of isolated individualism. *Pediatrics*, 133 Suppl 1, S16–S23. <https://doi.org/10.1542/peds.2013-3608D>
- Wilkinson, A., Wenger, N., Shugarman, L. R., & RAND Corporation. (July 2008). *Advance Directives and Advance Care Planning: Report to Congress*. Retrieved from <https://aspe.hhs.gov/reports/advance-directives-advance-care-planning-report-congress>

Books

- Briggs, L. (2021). *To know and honor: Building a culture of person-centered decision-making*. Pennsauken: BookBaby. <https://store.bookbaby.com/book/To-Know-and-Honor>
- Byock, I. (1998). *Dying well. Peace and possibilities at the end of life*. New York: Riverhead Trade.
- Dunn, H. (2016). *Hard choices for loving people: CPR, artificial feeding, comfort care, and the patient with a life-threatening illness* (6th Ed.). Lansdowne, VA: A & A Publishers.

- Gawande, A. (2014). *Being mortal: Medicine and what matters in the end* (First edition). New York: Metropolitan Books, Henry Holt and Company.
- Hammes, B. J. (Ed.). (2012). *Having your own say: Getting the right care when it matters most*. Washington, D.C., CHT Press.
- Kalanithi, P. (2016). *When breath becomes air*. New York: Random House.
- Kelley, A. S., & Meier, D. E. (Eds.). (2014). *Meeting the needs of older adults with serious illness: Challenges and opportunities in the age of health care reform*. New York: Springer Publishing Company, LLC.
- Lynn, J., Schuster, J. L., & Harrold, J., (2011). *Handbook for mortals: Guidance for people facing serious illness* (2nd Ed.). New York: Oxford University Press.
- Morris, V. (2001.) *Talking about death won't kill you*. New York: Workman Publishing Company.
- Rogne, L., & McCune, S. L. (Ed.). (2013/2014). *Advance care planning: Communicating about matters of life and death*. New York: Springer Publishing Company, LLC.

Website Resources

Respecting Choices® Person-Centered Care

respectingchoices.org

American Hospital Association

(Two reports on Advanced Illness Management Strategies)

aha.org/ahahret-guides/2012-12-11-advanced-illness-management-strategies-part-1

aha.org/ahahret-guides/2012-12-01-advanced-illness-management-strategies-part-2

ACP-international (ACP-i)

acp-i.org

Advance Care Planning (in the Rural Health Community): Strategic for All Adults

ruralhealthinfo.org/rural-monitor/advance-care-planning

Choosing Wisely

choosingwisely.org

CTAC Community Action Project

thetac.org/community

Community Medical Centers

(Advance Care Planning video)

communitymedical.org/for-patients-families/Advance-Care-Planning

Dartmouth Atlas Data

The data set forth at Hospital Research Data of publication/press release was obtained from Dartmouth Atlas Data website, which is funded by the National Institutes of Health (NIH) Health Economics Common Fund Program through an award (U-01 Supplement Award, National Institutes of Health Common Fund [3U01AG046830-03S1]).

data.dartmouthatlas.org/#hospital-research-data

Honoring Choices Massachusetts

honoringchoicesmass.com

Improving End-of-Life Care for African-Americans through Advance Care Planning in Partnership with Faith Communities

bioethics.net/2017/05/improving-end-of-life-care-for-african-americans-through-advance-care-planning-in-partnership-with-faith-communities

Institute for Healthcare Improvement – Triple Aim and Quadruple Aim

ihi.org/Engage/Initiatives/TripleAim
annfammed.org/content/12/6/573.full

National Healthcare Decisions Day

theconversationproject.org/nhdd

NHDD Speak Up Video

youtube.com/watch?v=1wQ-1lq8QWc

PEW Charitable Trusts

(How faith communities facilitate conversations around end-of-life concerns. Interviews show the benefits of training and engagement on advance care planning.)

pewtrusts.org/en/research-and-analysis/issue-briefs/2017/09/how-faith-communities-facilitate-conversations-around-end-of-life-concerns

POLST

polst.org

PREPARE for Your Care

PREPAREforYourCare.org

The Conversation Project

theconversationproject.org

The Evolution of Health Care Advance Planning Law and Policy

ncbi.nlm.nih.gov/pmc/articles/PMC2980344

U.S. Department of Health and Human Services

(Advance directives and advance care planning: Report to congress)

aspe.hhs.gov/reports/advance-directives-advance-care-planning-report-congress-0

What Matters: Caring Conversations about End of Life

mmjccm.org/what-matters

respectingchoices.org/wp-content/uploads/2018/10/2018-10-24-09.30-C1-4a-Faith-Based-Community-Engagement-Sally-Kaplan.pdf